

700 Series



Model: 700 Basic Specs



OLED Display Keypad	No
Compatible Lock Types	Swingbolt/Deadbolt
# of Users	1 Manager/1 User
# of Locks	1
Super Master Reset Code	Yes
Dual-User Mode	No
Dual-User Mode Override	No
Reset Function	Yes
Time Delay	No
Confirmation Window	No
Time Delay Override (TDO)	No
TDO with BLE FOB	No
Programmable @ Keypad	Yes
Programmable @ PC	No
Audit Events	No
Viewable Audit Trail	No
Downloadable Audit Trail	No
Duress Alarm	No
Combination Length	6 Digits
Back Lit Keypad	Yes
Bolt Switch Option*	No
Wrong Try Penalty	Yes
Battery Power	2x 9V
Low Battery Warning	Yes
Critical Low Battery Warning	Yes
AC Power Option	Yes
Low-Profile Keypad	No
Time Lock Schedule	No
Dual Credential	No
UL 2058 – UL Type 1	Yes
VdS 2396 – Class 2	Yes
EN1300 – Level B	Yes
SBSC – 3880:2015	Pending
CNPP a2p – Level B/E	Pending
Warranty	2 yr from DOM
Updatable Firmware	Yes


700 Series

Model: 701 and 702 Specs

	 Model 701	 Model 702/702D
OLED Display Keypad	No	No/Yes (702D)
Compatible Lock Types	Swing/Dead/Spring/Redundant	Swing/Dead/Spring/Redundant
# of Users	1 Master/1 Manager/1 User	1 Master/1 Manager/28 Users
# of Locks	1	1
Super Master Reset Code	No	No
Dual-User Mode	No	Yes
Dual-User Mode Override	No	Yes
Reset Function	Yes	Yes
Time Delay	No	0-99min
Confirmation Window	No	1-60min
Time Delay Override (TDO)	No	Yes
TDO with BLE FOB	No	No
Programmable @ Keypad	Yes	Yes
Programmable @ PC	No	Yes
Audit Events	No	500
Viewable Audit Trail	No	No/Yes (702D)
Downloadable Audit Trail	No	Yes
Duress Alarm	No	Yes
Combination Length	11 (2id + 6-9)	11 (2id + 6-9)
Back Lit Keypad	No	Yes
Bolt Switch Option*	No	Yes
Wrong Try Penalty	Yes	Yes
Battery Power	2 x 9V	2 x 9V
Low Battery Warning	Yes	Yes
Critical Low Battery Warning	Yes	Yes
AC Power Option	Yes	Yes
Low-Profile Keypad	No	Yes
Time Lock Schedule	No	No
Dual Credential	No	No
UL 2058 - UL Type 1	Yes	Yes
VdS 2396 - Class 2	Yes	Yes
EN1300 - Level B	Yes	Yes
SBSC - 3880:2015	Yes	Yes
CNPP a2p - Level B/E	Yes	Yes
Warranty	2yr from DoM	2yr from DoM
Updatable Firmware	Yes	Yes

700 Series

Model: 703, 704 and 705 Specs

	 Model 703/703B	 Model 704/704B	 Model 705
OLED Display Keypad	1.28" Monochrome OLED Display, 128 x 64	1.28" Monochrome OLED Display, 128 x 64	1.28" Monochrome OLED Display, 128 x 64
Compatible Lock Types	Swing/Dead/Spring/Redundant	Swing/Dead/Spring/Redundant	Swing/Dead/Spring/Redundant
# of Users	1 Master/1 Managers/28 Users	1 Master/2 Managers/47 Users	1 Master/2 Managers/97 Users
# of Locks	2	5	5
Super Master Reset Code	No	No	No
Dual-User Mode	Yes	Yes	Yes
Dual-User Mode Override	Yes	Yes	Yes
Reset Function	Yes	Yes	Yes
Time Delay	0-99min	0-99min	0-99min
Confirmation Window	1-60min	1-60min	1-60min
Time Delay Override (TDO)	Yes	Yes	Yes
TDO with BLE FOB	No	No	Yes
Programmable @ Keypad	Yes	Yes	Yes
Programmable @ PC	Yes	Yes	Yes
Audit Events	500	2000	6000
Viewable Audit Trail	Yes	Yes	Yes
Downloadable Audit Trail	Yes	Yes	Yes
Duress Alarm	Yes	Yes	Yes
Combination Length	11 (2id + 6-9)	11 (2id + 6-9)	11 (2id + 6-9)
Back Lit Keypad	Yes	Yes	Yes
Bolt Switch Option*	Yes	Yes	Yes
Wrong Try Penalty	Yes	Yes	Yes
Battery Power	2 x 9V	2 x 9V	2 x 9V
Low Battery Warning	Yes	Yes	Yes
Critical Low Battery Warning	Yes	Yes	Yes
AC Power Option	Yes	Yes	Yes
Low-Profile Keypad	Yes	Yes	No
Time Lock Schedule	No	Yes	Yes
Dual Credential	No/Yes (703B)	No/Yes (704B)	Yes
UL 2058 – UL Type 1	Yes	Yes	Yes
VdS 2396 – Class 2	Yes	Yes	No
EN1300 – Level B	Yes	Yes	No
SBSC – 3880:2015	Yes	Yes	No
CNPP a2p – Level B/E	Yes	Yes	No
Warranty	2yr from DoM	2yr from DoM	2yr from DoM
Updatable Firmware	Yes	Yes	Yes